
FENORA

FRAMEWORK OF EXCELLENCE



STYLE & STRENGTH!

YOUR PERFECT WINDOW

smvtraders.in

MAKE IN INDIA

ABOUT FENORA



Fenora uPVC Windows

Welcome to Fenora uPVC Windows, leading uPVC Profile brand. We've evolved from a focused uPVC hardware supplier into a dependable partner for modern, efficient window and door solutions. With over 12 years of hands-on experience in the uPVC segment, we supply and manufacture select hardware components, combining quality, compatibility, and clean design for homes, offices, and commercial projects.

We are committed to delivering the right product at the right time and place, ensuring our customers can make informed decisions with confidence and satisfaction. Through our dedication to quality, innovation, and strategic partnerships, we consistently surpass expectations and solidify our reputation as a trusted leader in the market.

12 Years of expereience	100 Team	70+ Window design	100%

Extensive Product Range
At Fenora, we offer a thoughtfully curated range of uPVC solutions to match every style and functional need. Whether you prefer classic elegance or modern sophistication, our versatile collection ensures you'll find the perfect fit for your home or project.

100% Lead-Free Commitment
Your safety is our priority. Fenora uPVC profiles are manufactured without any lead content, providing a safer and healthier environment for you and your family.

Integrated Grill Compatibility
Fenora windows and doors are thoughtfully designed to support integrated grill options, enhancing both the security and appearance of your spaces—without compromising style.

Advanced In-Built Gasket Systems
Enjoy a quieter, more energy-efficient home with Fenora's in-built gasket systems. These provide excellent insulation, minimize noise, and shield your interiors from weather extremes.


High Impact Durability
Built to withstand life's unexpected moments, Fenora uPVC profiles offer outstanding impact resistance—ensuring long-lasting performance and peace of mind.



TYPES OF WINDOWS

At Fenora, innovation meets timeless elegance in every frame. Our curated collection of windows is crafted to elevate your living space—both in form and function. Choose from the classic charm of our Casement Windows, designed for smooth outward opening and optimal ventilation, or embrace the sleek style of our Sliding Windows, offering a seamless connection between indoor comfort and outdoor beauty.

For those seeking architectural distinction, our Special Windows stand out as bold statements of design and craftsmanship. And when versatility is key, Fenora Combination Windows unite multiple styles into one harmonious installation—perfectly balancing efficiency, adaptability, and visual appeal.



01

Sliding Series

Fenora sliding windows are designed to bring a clean, modern aesthetic while enhancing natural light and ventilation. Smoothly gliding along horizontal tracks, they are incredibly easy to operate and perfectly suited for areas with space constraints. Ideal for creating a seamless indoor-outdoor flow, Fenora sliding windows combine functionality with style—making them an elegant addition to any contemporary home..

02

Casement Series

Elegant and timeless, Fenora casement windows are designed to blend classic charm with modern performance. Hinged on one side and opening outward with a sleek crank mechanism, they offer exceptional ventilation and effortless maintenance. Their refined appearance enhances any room, while advanced energy-efficient technology ensures year-round indoor comfort.



03

Combination Windows

Designed for flexibility and style, Fenora combination windows allow homeowners and architects to personalize openings to their exact needs. By blending multiple window types—like casement with fixed panels or double-hung with picture windows—these installations offer the perfect balance of function and elegance. With enhanced airflow, optimal natural light, and unobstructed views, Fenora delivers smart versatility without compromising design.



Mahogany




Walnut




Golden Oak


SLIDING SYSTEM - 62




GFS - 620 - F01
2 Track Outer Frame




GFS - 620 - F02
2.5 Track Outer Frame




GFS - 620 - F03
3 Track Outer Frame




GFS - 621 - F04
Mono Rail Frame




GFS - 621 - S01
Window Sash




GFS - 621 - S02
Window Super Sash




GFS - 621 - S03
Door Sash




GFS - 880 - M01
Window Bug Screen
Sash




GFS - 620 - MO2
Window Bug Screen Sash




GFS - 621 - T01
T Mullion



GFS - 620 - L01
Interlock for Window Sash




GFS - 620 - L02
Interlock for Door Sash




GFS - 620 - A01
Inline Sash Adapter




SLIDING SYSTEM - 88




GFS- 880 - F02
2.5 Track Outer Frame




GFS - 880 - F03
3 Track Outer Frame




GFS - 881 - S03
Window Sash




GFS - 881 - S04
Door Sash




GFS - 880 - M01
Door Bug Screen Sash




GFS - 620 - MO2
Window Bug Screen Sash



GFS - 880 - L01
Interlock For Window Sash




GFS- 880 - L02
Interlock For Door Sash




GFS - 881 - T02
T Mullion


SLIDING SYSTEM - 55




GFS - 550 - F01
2 Track Outer Frame




GFS - 550 - F02
2.5 Track Outer Frame




GFS - 550 - F03
3 Track Outer Frame




GFS - 551 - S01
Window Sash




GFS- 551 - S02
Door Sash



GFS-550-LNO
Interlock For Window \Door




GFS - 550 - M01
Window Bug Screen Sash




GFS - 550- MO2
Window Bug Screen Sash


CASEMENT SYSTEM - 62




GFN - 621 - F01
Window Outer Frame




GFC - 621 - F02
Door Outer




GFC - 621 - S01
Outward Opening
Window Sash / T Mullion




GFC - 621 - S02
Outward Opening Door Sash




GFC - 621 - S04
Inward Opening Door



GFC - 621 - T01
T Mullion




GFC - 621 - T02
Z Mullion




GFC - 621 - T03
Fly Mullion

CASEMENT SYSTEM - 55




GFC - 551 - F01
Window Outer Frame




GFC - 551 - S01
Outward Opening Window
Sash / T Mullion


GLAZING SYSTEM




GFA - 181 - B01
Glazing Bead - 40 mm




GFA - 181 - B02
Glazing Bead - 35 mm




GFA - 181 - B03
Glazing Bead - 24 mm



GFA - 181 - B04
Glazing Bead - 20 mm




GFA - 181 - B05
Glazing Bead - 17 mm




GFA - 181 - B06
Glazing Bead - 8 mm

AUXILIARY SYSTEMS




GFA - 160 - A01
62X62 Square Pole



GFA - 160 - A02
Multi Functional Frame



GFA - 160 - A04
Concealed coupler



































GFA - 160 - A03
Door Panel Profile 12mm


QUALITY TESTED

Test	Standard	Specification	Result
Appearance	EN 12608	Colour should be equal , smooth & flat >	Pass
Glossiness	ISO 2813	20 GU	36 GU
Colour	ISO 105	L > 93 A 0.1 to 0.8 B 2.4 to 3.1	L 95.87 A 0.38 B 2.8
Hardness	ASTM D2240	> 70 D	73 D
Heat reversion	EN 479	< 2%	1.6%
Heat aging	EN 478	No suface defects occure	Pass
Cold drop impact test	EN 477	< 10% Breakage	Pass
Izod impact test	EN 180	> 20 Kj/m²	88 Kj/m²
Charpy impact test	EN 179	> 20 kj/m²	45 kj/m²
Vicat softening tempar-ature	EN 306	> 70°C	86°C
Tensile strength	EN 527	> 35 Mpa	32.3 Mpa
Marking	EN	Identification marking	Pass
Dimensions	12608	Should be in tolerence	Pass
Surface flatness	EN 12608 EN 12608	< 0.3 mm	0.1 mm



GLAZING OPTIONS

	62 Casement	55 Casement	62 Sliding	88 Sliding	55 Sliding
					
 GFA - 181 - B01	 4,5,6,8				
 GFA - 181 - B02	 8,10,12	 4,5,6,8	 Mesh		
 GFA - 181 - B03	 18,20,22	 16,18	 4,5,6		
 GFA - 181 - B04	 24,26	 20,22	 8,10,12	 4,5,6,8	
 GFA - 181 - B05	 28,30	 24	 12,14	 8,10,12	 4,5,6,8
 GFA - 181 - B06	 32,34,36	 26,28,30,32	 18,20,22,24	 14,16,18	 10,12



FENORA

FRAMEWORK OF EXCELLENCE

#15-6-43/B, Plot No: 34, DSA and Company Quarters, FCI Road, Satyanarayana Puram, Samalkot, AP - 533440

+91 90909 22899

smvtradersind@gmail.com